

VanDutch[®] 


THE ICONIC
DAY CRUISER








VANDUTCH















GENERAL ARRANGEMENT



SPECIFICATIONS

LOA	15,23M / 50 FT
LWL	14,55M / 47,70 FT
BEAM MAXIMUM	4,11M / 13,50 FT
DRAFT (HALF LOAD)	1,22 M / 4 FT
AIR DRAFT	2,46 M / 8 FT

CRUISING SPEED	28-30 KN (59,25 KM/H)
TOP SPEED (HALF LOAD AND MAN V12X 1800)	40 KN
TOP SPEED (HALF LOAD AND MAN V12X 2200)	50 KN
RANGE WITH MAIN ENGINES AND ONE GENSET RUNNING (CRUISING SPEED)	590NM @ 20 KN 800NM @ 12 KN

DISPLACEMENT AT HALF LOAD	33.070 LBS. / 15 T
---------------------------	--------------------

PASSENGERS	12
BERTHS	4 (6)+ 1X CREW (OPT)
FUEL CAP.	1188 G / 4,500 L
FRESH WATER CAP.	237 G / 900 L

ENGINE TYPE	INBOARD
ENGINES	2 X MAN V8 1300 HP
PROPULSION	SHAFT DRIVE
CRUISING SPEED	28-32 KN (59,25 KM/H)
MAX SPEED	50 KN



VANGUARD DUTCH  MARINE